



MODEL	STF600
POWER REQUIRED	24 HP AND ABOVE TRACTORS
PUMP	50/60 LPM HTP/DIAPHRAGM PUMP (OPTIONAL)
DISCHARGE (FREE)	48/58 LPM
WORKING PRESSURE	20 - 25 BAR
PUMP RPM	540
BLOWER RPM	2500
TOTAL NO. OF NOZZLES	10
WEIGHT	310 kgs Approx..
SIZE L X W X H (IN MM)	2450 X 1020 X 1350

## Features

- Suitable for the 24 HP and above tractors
- 600 lit tank capacity
- 50/60 lpm HTP/Diaphragm pump (optional)
- Heavy duty, Galvanized chassis prevent corrosion
- Air rectifying cone
- Tank consist of two hydraulic agitator for maintain a proper fertilizer mix in the spray tank
- 100% coverage
- SS fan assembly
- Top fan unit with instantaneous variable pitch
- Low maintenance cost
- Guidelines and necessary instruction stickers on tractor
- Spare parts are easily available at reasonable rate
- Quick service after sale

**Note :** Since product improvement is a continuous process, specifier & details provided are subject to change without prior information.



## Bhansali Trailor Pvt.Ltd.

"Dhantara" Gurudwara Road, Kopargaon - 423601, Ahmednagar District, Maharashtra, INDIA.

+91-2423-2233 91/92/93

info@bhansalitrailors.com



## Features

- Suitable for 18 HP and above tractors
- 200 lit chemical tank
- Tank consist of one hydraulic agitator for maintain a proper fertilizer mix in the spray tank
- Line filter for nozzle safety
- Galvanized chassis prevent corrosion
- Having air distributor
- 65 lpm diaphragm pump (Italy make)
- To control powdery mildew, Downy mildew and mites
- It gives 100% coverage
- Tractor run without load & save fuel
- Dia. 610 mm, adjustable & advance technology fan
- SS/GI fan assembly (optional)
- Accurate direction for air because of long deflector
- Low maintenance cost
- Guidelines & necessary instruction stickers on tank
- Spare parts are easily available at reasonable rate
- Quick service after sale
- Indian design and quality according to Indian climatic condition

Model	SBP200
POWER REQUIRED	18 HP AND ABOVE TRACTORS
PUMP	65 LPM DIAPHRAGM PUMP (ITALY MAKE)
TANK CAPACITY	200 LTR
WORKING PRESSURE	20-25 BAR
DISCHARGE(FREE)	63 LPM
PUMP RPM	540
BLOWER RPM	2500
TOTAL NO. OF NOZZLE	10
WEIGHT	210 kg (approx.)
SIZE L X WX H(IN MM)	1550 X 950 X 1250

**Note :** Since product improvement is a continuous process, specifier & details provided are subject to change without prior information.



## Bhansali Trailer Pvt.Ltd.

"Dhantara" Gurudwara Road, Kopargaon - 423601, Ahmednagar District, Maharashtra, INDIA.

+91-2423-2233 91/92/93

info@bhansalitrailors.com



Fan assembly



4-way connection



50 lpm imported pump



Italian Nozzle

Model	SBP200R
POWER REQUIRED	18 HP AND ABOVE TRACTORS
TANK CAPACITY	200 LTR.
PUMP	50 LPM HTP POWER SPRAYER/DIAPHRAGM PUMP(OPTIONAL)
DISCHARGE (FREE)	48 LPM
PUMP RPM	540
BLOWER RPM	2500
TOTAL NO. OF NOZZLES	10
WEIGHT	210 KG(APPROX.)
SIZE L X W X H (IN MM)	1550 X 950 X 1250

## Features

- Suitable for 18 HP and above tractors.
- Heavy duty, galvanized chassis prevent corrosion.
- Dia. 610mm fan
- well designed SS/GI fan casing (optional).
- 100% coverage.
- Tractor run without load & save fuel.
- Easily attach with tractor.
- An imported HTP / DIAPHRAGM pump having 50 lpm suction capacity (optional).
- Maintenance cost is very low.
- Guidelines and necessary instruction stickers on tank.
- Quick service after sale

**Note :** Since product improvement is a continuous process, specificator & details provided are subject to change without prior information.



## Bhansali Trailor Pvt.Ltd.

"Dhantara" Gurudwara Road, Kopergaon - 423601, Ahmednagar District, Maharashtra, INDIA.

+91-2423-2233 91/92/93

info@bhansalitrailors.com



Italian Nozzle



50 lpm imported pump



Suction Filter



fan assembly

MODEL	SBP600
POWER REQUIRED	24 HP AND ABOVE TRACTORS
PUMP	50/60 LPM HTP / DIAPHRAGM PUMP (OPTIONAL)
DISCHARGE(FREE)	48 LPM
WORKING PRESSURE	20-25 BAR
PUMP RPM	540
BLOWER RPM	2500
TOTAL NO. OF NOZZLE	10
WEIGHT	280 kg (approx.)10
SIZE L X W X H(IN MM)	2550 X 1020 X 1350

## Features

- Suitable for 24 HP and above tractors
- Galvanized chassis prevent corrosion
- Deflector change the air flow in required direction
- 50/60 lpm imported diaphragm pump (optional)
- Tubeless tyre and mud scraper
- Line filter for nozzle safety
- 600 lit tank capacity
- Easily attach with tractor
- Tank consist of two hydraulic agitator for maintain a proper fertilizer mix in the spray tank
- Spare parts are easily available at reasonable rate
- Maintenance cost is very low
- Guideline & necessary instruction stickers on tank
- Quick service after sale
- Tractor run without load & save fuel

**Note :** Since product improvement is a continuous process, specifierator & details provided are subject to change without prior information.



## Bhansali Trailor Pvt.Ltd.

"Dhantara" Gurudwara Road, Kopargaon - 423601, Ahmednagar District, Maharashtra, INDIA.

+91-2423-2233 91/92/93

info@bhansalitrailors.com



Imported 60 lpm Diaphragm Pump



Italian Nozzle



Suction filter



Fan assembly

## Features

- Suitable for 24 HP and above tractors
- Deflector change the air flow in required direction
- Line filter for nozzle safety
- Easily attach with tractor
- Tractor run without load & save fuel
- Guideline & necessary instruction stickers on tank
- Tank consist of two hydraulic agitator for maintain a proper fertilizer mix in the spray tank
- Galvanized chassis prevent corrosion
- 50/60 lpm Imported diaphragm pump (optional)
- 600 lit tank capacity
- Quick service after sale
- Maintenance cost is very low
- Spare parts are easily available at reasonable rate

Model	SBP600R
POWER REQUIRED	24 HP AND ABOVE TRACTORS
PUMP	50/60 LPM, HTP / DIAPHRAGM PUMP (OPTIONAL)
DISCHARGE(FREE)	48/58 LPM (OPTIONAL)
WORKING PRESSURE	20-25 BAR
PUMP RPM	540
BLOWER RPM	2500
TOTAL NO. OF NOZZLE	10
WEIGHT	270 kg (approx.)
SIZE L X W X H (IN MM)	2450 X 1020 X 1350

**Note :** Since product improvement is a continuous process, specificator & details provided are subject to change without prior information.



## Bhansali Trailor Pvt.Ltd.

"Dhantara" Gurudwara Road, Kopergaon - 423601, Ahmednagar District, Maharashtra, INDIA.

+91-2423-2233 91/92/93

info@bhansalitrailors.com



"This Model is Also Available in Belt & Pulley Type"



## Features

- Suitable for 18 HP and above tractors
- Heavy duty single / multi speed gear box (optional).
- Tank consist of one hydraulic agitator for maintain a proper fertilizer mix in the spray tank
- 200 lit chemical tank
- Galvanized chassis prevent corrosion
- Having air distributor
- 65 lpm diaphragm pump (Italy make)
- To control powdery mildew, Downy mildew and mites
- It gives 100% coverage
- With air recovery system
- Tractor run without load & save fuel
- Dia. 610mm, adjustable & advance technology single/double fan (optional).
- SS/GI fan assembly (Optional)
- Accurate direction for air because of long deflector
- Low maintenance cost
- Guidelines & necessary instruction stickers on tank
- Spare parts are easily available at reasonable rate
- Indian design and quality according to Indian climatic condition
- Quick service after sale

Model	SDF200
POWER REQUIRED	18 HP AND ABOVE TRACTORS
PUMP	65 LPM DIAPHRAGM PUMP (ITALY MAKE)
TANK CAPACITY	200 LTR
WORKING PRESSURE	20-25 BAR
DISCHARGE(FREE)	63 LPM
PUMP RPM	540
BLOWER RPM	2500
TOTAL NO. OF NOZZLE	10
WEIGHT	210 kg (approx.)
SIZE L X W X H(IN MM)	1550 X 950 X 1250

**Note :** Since product improvement is a continuous process, specificator & details provided are subject to change without prior information.



## Bhansali Trailer Pvt.Ltd.

"Dhantara" Gurudwara Road, Kopargaon - 423601, Ahmednagar District, Maharashtra, INDIA.

+91-2423-2233 91/92/93

info@bhansalitrailors.com



## Features

- Suitable for 24 HP and above tractors
- Galvanized chassis prevent corrosion
- Heavy duty drawbar having wide angle with PTO to easy turning (optional )
- To control powdery mildew, Downy mildew and mites
- Inlet valve balancing air to get 100% coverage
- 'Italy make' 75 lpm diaphragm pump
- SS fan assembly, such a way that it rotate in both direction (Clockwise & Anti clockwise)
- Dia. 610 mm fan with having facility to change the required degree
- Best quality and heavy duty 2 speed + Neutral gearbox
- 'Imported' 600 lit main tank, washing tank & hand wash tank
- Tank consist of two hydraulic agitator for maintain a proper fertilizer mix in the spray tank
- Auto water suction facility upto 8 ft.
- Deflector change the air flow in required direction
- Tractor run without load & save fuel
- Guideline & necessary instruction stickers on tank
- Spare parts are easily available at reasonable rate
- Imported quality Indian design according to Indian climatic condition
- Quick service after sale

MODEL	SDF600
POWER REQUIRED	24 HP AND ABOVE TRACTORS
TANK CAPACITY	600 LTR.
PUMP	'ITALY MAKE' 75 LPM DIAPHRAGM PUMP
DISCHARGE (FREE)	73 LPM
PUMP RPM	540
BLOWER RPM	2500
TOTAL NO. OF NOZZLES	10
WORKING PRESSURE	25-30 BAR
WEIGHT	300 kg (approx.)

**Note :** Since product improvement is a continuous process, specifier & details provided are subject to change without prior information.



## Bhansali Trailor Pvt.Ltd.

"Dhantara" Gurudwara Road, Kopargaon - 423601, Ahmednagar District, Maharashtra, INDIA.

+91-2423-2233 91/92/93

info@bhansalitrailors.com



Italian Nozzle



Suction Filter



3-way valve connection



Imported 75 lpm diaphragm pump

## Features

- Suitable for 24 hp and above tractors
- Galvanized chassis prevent corrosion
- Heavy duty draw bar having wide angle with PTO to easy turning (optional)
- To control powdery mildew, Downy mildew and mites
- Inlet valve balancing air to get 100% coverage
- 'Italy make' 75 lpm diaphragm pump
- SS fan assembly
- Dia. 610mm adjustable & advance technology singlefan, having facility to change the required degree
- Best quality and heavy duty 2 speed + Neutral gearbox
- 'Imported' 600 lit main tank, washing tank & hand wash tank
- Tank consist of two hydraulic agitator for maintain a proper fertilizer mix in the pray tank
- Deflector change the air flow in required direction
- Tractor run without load & save fuel
- Spare parts are easily available at reasonable rate
- Guidelines and necessary instructions stickers on tank
- Imported quality Indian design according to Indian climatic condition
- Quick service after sale

MODEL	SSF600
POWER REQUIRED	24 HP AND ABOVE TRACTORS
TANK CAPACITY	600 LTR
PUMP	'ITALY MAKE' 75 LPM DIAPHRAGM PUMP
DISCHARGE(FREE)	73 LPM
PUMP RPM	540
BLOWER RPM	2500
TOTAL NO. OF NOZZLE	10
WORKING PRESSUR	20-25 BAR
WEIGHT	300 kg (approx.)

**Note :** Since product improvement is a continuous process, specificator & details provided are subject to change without prior information.



## Bhansali Trailor Pvt.Ltd.

"Dhantara" Gurudwara Road, Kopergaon - 423601, Ahmednagar District, Maharashtra, INDIA.

+91-2423-2233 91/92/93

info@bhansalitrailors.com